## GECKO YE, REMOVAL & REPLACEMENT

### **Removal / Replacement of Gecko YE Series Equipment Pack**



#### To Remove YE Equipment Pack:

Test and turn off GFCI circuit breaker. Use lock out tag out device to insure the circuit breaker is not turned on while service is being performed.

(Lockout-Tagout (LOTO) or lock and tag is a safety procedure used to ensure that dangerous equipment is properly shut off and not able to be started up again prior to the completion of maintenance or servicing work.—1910.147 OSHA)

- 1. Remove equipment cover by removing the 4 screws holding it in place.
- 2. Remove 3 screws from strain relief bar.
- 3. Remove all component cords (pump, blower, light, etc.) from the equipment pack by pushing in tabs on the amp connectors at the terminal point.
- 4. Remove all copper ground wire from the exterior ground terminal.
- 5. Remove incoming power supply wires from electrical pack.
- 6. Remove the screws that are used to mount the electrical pack.
- 7. Close both water valves on the heater / pump 1 water circuit.
- 8. Loosen and disconnect both black unions on the end of the heater.
- 9. Remove electrical pack from spa.

### <u>To Replace YE Equipment Pack:</u>

Reverse the "Remove" procedure above.

### Heater Replacement Gecko YE Equipment Pack:

Test and turn off GFCI circuit breaker. Use lock out tag out device to insure the circuit breaker is not turned on while service is being performed.

(Lockout-Tagout (LOTO) or lock and tag is a safety procedure used to ensure that dangerous equipment is properly shut off and not able to be started up again prior to the completion of maintenance or servicing work.—1910.147 OSHA)

- 1. Remove equipment cover by removing the 4 screws holding it in place.
- 2. Remove the 2 screws from the heater mounting bracket.
- 3. Remove the high limit and temperature probe from the electrical pack.
- 4. Remove the 2 heater power supply lines and ground wire from the electrical pack.
- 5. Close both water valves on the heater / pump 1 water circuit.
- 6. Remove heater by unscrewing both unions on the ends of the heater.


### To Reinstall Heater on Gecko YE Equipment Pack:

Reverse the "Replacement" procedure above.

Any and all technical servicing is to be performed only by a professional, qualified trained technician in accordance with all local and national electrical codes.

Incorrect servicing procedures may void all warranties.

# GECKO YE - 3, COMPONENT DIAGRAM



# GECKO YE - 5, COMPONENT DIAGRAM

